

## ASKING FOR ASSISTANCE

---

### Technical Support:

Telephone (818)772-9100  
(800) 545-6900

Fax (818)772-9120

### Technical Support Hours:

8:00 AM to 5:00 PM Monday thru Friday PST

### Write To:

Gefen Inc.  
C/O Customer Service  
20600 Nordhoff Street  
Chatsworth CA 91311 USA

support@gefen.com -- www.gefen.com

### Notice

Gefen Inc. reserves the right to make changes in the hardware, packaging and any accompanying documentation without prior written notice.

**HD Splitter** is a trademark of Gefen Inc.

# TABLE OF CONTENTS

---

- 1** Introduction
- 2** Features
- 3** Panel Descriptions
- 4** Connecting and Operating the HD Splitter
- 5** Specifications
- 6** Warranty

# INTRODUCTION

---

Congratulations on your purchase of the ex•tend•it HD Splitter. Your complete satisfaction is very important to us.

Gefen's line of HDTV switches, extenders, and splitters are designed to make your A/V equipment use more comfortable, more productive and less expensive.

Gefen's ex•tend•it HD Splitter is a distribution hub that sends the same video output to two or more HDTV digital screens. It is a flexible solution that accommodates multiple displays. When two or more HD Splitters are connected together, they can be used to create a larger distribution.

The HD Splitter is connected using a HDMI cable from the HDMI source to the HD Splitter input. There are two DVI outputs. Output 1 is the primary connection and is used for the main display. Output 2 follows the main display.

The HD Splitter is HDCP compliant.

The ex•tend•it line offers solutions for noise, space and security concerns, data center control, information distribution, conference room presentation, school and corporate training environments.

## Our Commitment

Gefen will always offer the finest quality product at the best possible price. Included in that price is a lifetime of support from a team of outstanding engineers.

# FEATURES

---



## Features

- Splits the HDTV HDMI signal to two or more HDTV displays
- Maintains 480i, 480p, 720p, 720i, and 1080i, 1080p resolutions
- Connects two or more HDTV displays at the same time to the same video source
- Uses HDMI cables to connect to the input
- Maintains highest DVI single link video resolution
- Supports DDWG standard for DVI compliant monitors
- Supports HDCP compliant devices
- Supports DDWG standard for DVI compliant monitors
- Installs in seconds

## Includes:

6' HDMI cable (m-m)  
5VDC Power Supply  
The HD Splitter

# PANEL DESCRIPTIONS



## Connecting and Operating the HD Splitter

---

### How to Connect the HD Splitter to your devices

- 1- Connect the supplied HDMI cable from the HDMI device into the HD Splitter Input.
- 2- Connect the cable from your first display (monitor or projector) into the DVI Out 1 slot in the back of the HD Splitter
- 3- Connect the cable from your second display (monitor or projector) into the DVI Out 2 slot in the back of the HD Splitter.
- 4- Plug the 5v power supply into the HD Splitter.
- 5- Plug the 5v wallmount power supply into the wall outlet.

NOTE: The HD Splitter only passes digital video, and does not support audio in HDMI.

# SPECIFICATIONS

---

Video Amplifier Bandwidth .....	1.65 GHz
Input Video Signal .....	1.2 volts p-p
Input DDC Signal .....	5 volts p-p (TTL)
Maximum Single Link Range .....	1920 x 1200, 1080p
DVI Input/Output Connector Type .....	DVI-D
Power Consumption .....	15 Watts (Max.)
Power Supply .....	5VDC
Dimensions .....	6.5"W x 1.25"H x 4.625"D
Shipping Weight .....	4 Lbs

## WARRANTY

---

Gefen Inc. warrants the equipment it manufactures to be free from defects in material and workmanship.

If equipment fails because of such defects and Gefen Inc. is notified within one (1) year from the date of shipment, Gefen Inc. will, at its option, repair or replace the equipment, provided that the equipment has not been subjected to mechanical, electrical, or other abuse or modifications.

Equipment that fails under conditions other than those covered will be repaired at the current price of parts and labor in effect at the of repair. Such repairs are warranted for ninety (90) days from the day of reshipment to the Buyer.

This warranty is in lieu of all other warranties expressed or implied, including without limitation, any implied warranty or merchantability or fitness for any particular purpose, all of which are expressly disclaimed.

The information in this manual has been carefully checked and is believed to be accurate. However, Gefen Inc. assumes no responsibility for any inaccuracies that may be contained in this manual. In no event will Gefen Inc., be liable for direct, indirect, special, incidental, or consequential damages resulting from any defect or omission in this manual, even if advised of the possibility of such damages. The technical information contained herein regarding HD Splitter features and specifications is subject to change without notice.